



POLI-TRANS®

320 LASER LIGHT A4
321 LASER LIGHT A3

POLI-TRANS
DESIGN YOUR OWN SHIRT

GENERAL USE

LASER LIGHT can be used in most laser printers and copiers that do not use fuser oil. Produce high resolution transfers for application to light and pastel textiles. Transfers can be applied to cotton, polyester and poly/cotton textiles. Easy to apply giving a **soft and high quality** result on T-shirts, polo shirts, caps, mouse mats etc.

Always single sheet feed transfer papers.

PRINTER SETTINGS

Set paper settings to heavy paper or labels and mirror image. Settings on laser copiers and printers vary, therefore we recommend producing a test print first.

APPLICATION

Print selected image on the blank side of the transfer paper - **mirror image**. Trim around the design with scissors. Pre-heat T-shirt to remove moisture - 3 to 4 seconds. Position design on T-shirt.

- Press at 190 °C (375 Fahrenheit)
- Time 20 – 25 sec.
- Heavy pressure
- Remove transfer after 3 sec.

Tips

- After pressing leave for 3 seconds and then gently pull each side of the T-shirt, this will pull up a corner for easy release
- After the transfer has been removed, stretch the T-shirt in both directions. This helps to give a soft feel

WASHING

- Textiles should be machine washed inside out up to 40 degrees
- Do not tumble dry, dry clean or iron directly over transfer

All information given is for guidance purposes only. Many different factors are involved in producing transfers, therefore we recommend customers to perform their own tests. These instructions are not legally binding. Information given is subject to change without notice.